

# Top animals report (all EPDs) for breed RV Rams without progeny ordered by MAT-UHP

| from birth year 2016 |

## Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d		Ultra Loin		Ultra Fat	
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat
	GAIN(%)	CARC(%)	Dam Inbreeding	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat
	MAT(%)	MAT-U(%)	BirthDate	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	Mat
	MAT-HP(%)	MAT-UHP(%)	#Progeny	Age First Lamb	EPD	# Born First	EPD	TWtWn1st	EPD	Lambing Interval	EPD	# Born Later	EPD	TwtWn+	EPD
				Acc	%	Acc	%	Acc	%	Acc	%	Acc	%	Acc	%
1	<b>CDB86535ED</b>		CBM7934C	43224	<b>0.06</b>	<b>-0.07</b>	<b>0.01</b>	<b>-0.41</b>	<b>0.46</b>	<b>-0.2</b>	<b>0.94</b>	<b>-0.43</b>	<b>0.24</b>		
			FRAN93A		4	3	55	20	36	18	63	66	74		
	7.98 (98)	4.26 (96)	0,0436		88	21	98	15	99	51	99	63	98		
	20.39 (95)	16.69 (96)	2017-04-05		<b>-1.58</b>		<b>0.3</b>		<b>0.77</b>		<b>-2.13</b>	<b>0.46</b>	<b>2.03</b>		
	35.46 (93)	29.23 (94)			4		4		4		4	17	17		
			0		59		61		94		75	77	80		
2	<b>CDB09417ED</b>		GMP26210C	43224	<b>0.07</b>	<b>-0.05</b>	<b>0.12</b>	<b>-0.42</b>	<b>0.82</b>	<b>-0.6</b>	<b>1.13</b>	<b>-1.46</b>	<b>0.12</b>		
			DUFS16860C		5	4	55	23	36	20	62	68	75		
	10.44 (99)	4.86 (97)	0,0421		92	51	99	13	99	17	99	1	91		
	19.92 (94)	16.55 (96)	2017-11-29		<b>-3.25</b>		<b>0.3</b>		<b>0.13</b>		---	<b>0.45</b>	<b>2.52</b>		
	35.15 (92)	29.2 (94)			4		4		4		0	14	14		
			0		98		60		59		---	73	89		
3	<b>HDA5505ED (M)</b>		HDA5571D	81100	<b>0.03</b>	<b>-0.06</b>	<b>-0.1</b>	<b>-0.51</b>	<b>-0.01</b>	<b>-0.35</b>	<b>-0.48</b>	<b>-1.27</b>	<b>-0.47</b>		
			HDA5505B		2	1	52	13	28	10	61	61	71		
	-1.51 (82)	-0.77 (87)	0,0342		63	43	91	2	93	36	70	1	1		
	16.37 (88)	12.35 (89)	2017-04-23		<b>-1.44</b>		<b>0.48</b>		<b>-0.01</b>		<b>-0.43</b>	<b>0.63</b>	<b>2.04</b>		
	36.62 (94)	28.96 (94)			4		4		4		5	7	7		
			0		54		96		49		14	95	80		
4	<b>HDA4507ED (M)</b>		HDA5571D	81100	<b>0.03</b>	<b>-0.06</b>	<b>0.07</b>	<b>-0.47</b>	<b>0.52</b>	<b>-0.15</b>	<b>0.26</b>	<b>-2.71</b>	<b>-0.46</b>		
			HDA977A		2	1	52	12	26	9	60	61	71		
	4.21 (96)	0.72 (91)	0,0274		65	46	99	5	99	56	94	1	1		
	19.5 (94)	15.23 (94)	2017-04-16		<b>-1.47</b>		<b>0.39</b>		<b>0.03</b>		<b>-0.75</b>	<b>0.55</b>	<b>1.82</b>		
	35.99 (93)	28.91 (94)			3		3		3		4	6	6		
			0		55		96		52		25	97	75		



Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d	Ultra Loin	Ultra Fat
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	EPD Dir	EPD Dir
	GAIN(%)	CARC(%)	Dam	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Acc Dir	Acc Dir
	MAT(%)	MAT-U(%)	Inbreeding	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	% Dir	% Dir
	MAT-HP(%)	MAT-UHP(%)	BirthDate	Age First Lamb	EPD	# Born First	EPD	TWtWn1st	EPD	Lambing Interval	# Born Later	TwtWn+
			#Progeny	EPD	Acc	EPD	Acc	EPD	Acc	EPD	Acc	EPD
				%	%	%	%	%	%	%	%	%
5	<b>HDA4501ED (M)</b>	HDA5571D	81100	<b>0.03</b>	<b>-0.06</b>	<b>-0.01</b>	<b>-0.5</b>	<b>0.27</b>	<b>-0.36</b>	<b>-0.1</b>	<b>-1.74</b>	<b>-0.45</b>
		HDA2446C		1	1	51	11	26	9	61	61	71
	1.47 (91)	0.59 (91)	0,0342	66	45	98	3	97	35	86	1	1
	17.3 (90)	13.46 (91)	2017-04-16	<b>-1.64</b>		<b>0.44</b>		<b>0.18</b>		<b>-0.56</b>	<b>0.58</b>	<b>1.79</b>
	36.02 (93)	28.86 (94)		3		3		3		3	3	3
			0	62		94		62		18	97	75
6	<b>CDB09572ED</b>	GMP26210C	43224	<b>0.06</b>	<b>-0.07</b>	<b>0.08</b>	<b>-0.44</b>	<b>0.54</b>	<b>-0.31</b>	<b>0.71</b>	<b>-0.43</b>	<b>0.25</b>
		FRAN93A		6	4	55	24	38	21	44	39	42
	6.83 (98)	3.13 (95)	0,0276	88	28	99	9	99	40	98	63	99
	19.72 (94)	15.88 (95)	2017-12-16	<b>-3.06</b>		<b>0.3</b>		<b>0.37</b>		<b>-2.06</b>	<b>0.48</b>	<b>2.61</b>
	35.35 (93)	28.85 (94)		4		4		4		4	16	16
			0	97		62		75		73	81	90
7	<b>HDA325ED (M)</b>	HDA918Z	81100	<b>0.04</b>	<b>-0.04</b>	<b>-0.11</b>	<b>-0.5</b>	<b>-0.38</b>	<b>-0.2</b>	<b>-0.26</b>	<b>-1.78</b>	<b>-0.3</b>
		HDA503B		6	4	55	23	36	21	42	59	70
	-2.32 (79)	-4.17 (72)	0,0546	73	70	89	3	80	50	80	1	7
	16.97 (89)	12.01 (88)	2017-05-06	<b>-1.63</b>		<b>0.47</b>		<b>0.47</b>		<b>-0.12</b>	<b>0.64</b>	<b>1.94</b>
	37.09 (94)	28.56 (94)		10		10		10		16	17	17
			0	62		95		81		7	97	78
8	<b>CDB09571ED</b>	GMP26210C	43224	<b>0.06</b>	<b>-0.07</b>	<b>0.02</b>	<b>-0.44</b>	<b>0.43</b>	<b>-0.31</b>	<b>0.78</b>	<b>-0.06</b>	<b>0.56</b>
		FRAN93A		6	4	55	24	38	21	63	68	75
	6.88 (98)	1.56 (93)	0,0276	88	28	99	9	98	40	98	92	99
	19.76 (94)	15.53 (95)	2017-12-16	<b>-3.06</b>		<b>0.3</b>		<b>0.37</b>		<b>-2.06</b>	<b>0.48</b>	<b>2.61</b>
	35.38 (93)	28.52 (94)		4		4		4		4	16	16
			0	97		62		75		73	81	90
9	<b>HDA4503ED (M)</b>	HDA5571D	4006	<b>0.03</b>	<b>-0.06</b>	<b>-0.02</b>	<b>-0.5</b>	<b>0.16</b>	<b>-0.36</b>	<b>-0.28</b>	<b>-2.08</b>	<b>-0.64</b>
		HDA2446C		1	1	51	11	26	9	61	61	71
	0.02 (88)	-0.04 (89)	0,0342	65	45	97	3	96	35	79	1	1
	16.26 (88)	12.47 (89)	2017-04-16	<b>-1.64</b>		<b>0.44</b>		<b>0.18</b>		<b>-0.56</b>	<b>0.58</b>	<b>1.79</b>
	35.06 (92)	27.91 (93)		3		3		3		3	3	3
			0	62		96		62		18	97	75



Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d	Ultra Loin	Ultra Fat	
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	EPD Dir	EPD Dir	
	GAIN(%)	CARC(%)	Dam	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Acc Dir	Acc Dir	
	MAT(%)	MAT-U(%)	Inbreeding	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	% Dir	% Dir	
	MAT-HP(%)	MAT-UHP(%)	BirthDate	Age First Lamb	EPD	# Born First	EPD	TWtWn1st	EPD	Lambing Interval	# Born Later	TwtWn+	
			#Progeny	EPD	Acc	Acc	Acc	Acc	Acc	Acc	Acc	Acc	
				%	%	%	%	%	%	%	%	%	
10	<b>CDB86536ED</b>		CBM7934C	43224	<b>0.05</b>	<b>-0.07</b>	<b>-0.04</b>	<b>-0.41</b>	<b>0.14</b>	<b>-0.2</b>	<b>0.63</b>	<b>-0.82</b>	<b>-0.18</b>
			FRAN93A		4	3	55	20	36	18	63	66	74
	4.67 (96)	3.62 (96)	0,0436		82	21	96	15	95	51	98	15	26
	18.01 (91)	14.62 (93)	2017-04-05		<b>-1.58</b>		<b>0.3</b>		<b>0.77</b>		<b>-2.13</b>	<b>0.46</b>	<b>2.03</b>
	33.26 (89)	27.24 (92)			4		4		4		4	17	17
			0		59		61		94		75	77	80
11	<b>CBM69327ED</b>		CBM5300C	43306	<b>0.01</b>	<b>-0.05</b>	<b>0.1</b>	<b>-0.43</b>	<b>0.75</b>	<b>-0.48</b>	<b>0.98</b>	<b>1</b>	<b>-0.31</b>
			CBM4846C		4	3	52	18	31	15	60	64	72
	8.68 (98)	12.96 (99)	0,0160		34	55	99	11	99	25	99	99	6
	16.9 (89)	16.32 (95)	2017-05-12		---		---		---		---	<b>0.42</b>	<b>1.22</b>
	29.78 (83)	26.93 (91)			0		0		0		0	4	4
			0		---		---		---		---	65	61
12	<b>CDB49564FD</b>		GMP26210C	43224	<b>0.06</b>	<b>-0.07</b>	<b>0</b>	<b>-0.44</b>	<b>0.19</b>	<b>-0.31</b>	<b>0.44</b>	<b>-0.54</b>	<b>0.2</b>
			FRAN93A		6	4	55	24	38	21	44	39	42
	3.91 (95)	0.57 (91)	0,0276		89	28	98	9	96	40	96	49	97
	17.63 (91)	13.57 (92)	2018-07-29		<b>-3.06</b>		<b>0.3</b>		<b>0.37</b>		<b>-2.06</b>	<b>0.48</b>	<b>2.61</b>
	33.4 (90)	26.63 (91)			4		4		4		4	16	16
			0		97		62		75		73	81	90
13	<b>CDB49562FD</b>		GMP26210C	43224	<b>0.06</b>	<b>-0.07</b>	<b>-0.07</b>	<b>-0.44</b>	<b>0.15</b>	<b>-0.31</b>	<b>0.39</b>	<b>-0.56</b>	<b>0.2</b>
			FRAN93A		6	4	55	24	33	19	44	39	42
	3.9 (95)	0.57 (91)	0,0276		89	28	94	9	96	40	95	47	97
	17.62 (91)	13.56 (92)	2018-07-29		<b>-3.06</b>		<b>0.3</b>		<b>0.37</b>		<b>-2.06</b>	<b>0.48</b>	<b>2.61</b>
	33.4 (90)	26.62 (91)			4		4		4		4	16	16
			0		97		62		75		73	81	90
14	<b>CDB09422ED</b>		GMP26210C	43224	<b>0.06</b>	<b>-0.06</b>	<b>0.01</b>	<b>-0.43</b>	<b>0.28</b>	<b>-0.42</b>	<b>0.27</b>	<b>-0.24</b>	<b>0.19</b>
			DUFS99132A		5	4	55	24	37	21	43	23	24
	3.63 (95)	1.14 (92)	0,0425		89	39	98	12	97	30	94	81	97
	16.79 (89)	13.05 (91)	2017-11-29		<b>-3.09</b>		<b>0.32</b>		<b>0.18</b>		<b>-2.1</b>	<b>0.48</b>	<b>2.68</b>
	32.91 (89)	26.36 (91)			4		4		4		3	16	16
			0		97		68		62		74	81	91



Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d	Ultra Loin	Ultra Fat
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	EPD Dir	EPD Dir
	GAIN(%)	CARC(%)	Dam	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Acc Dir	Acc Dir
	MAT(%)	MAT-U(%)	Inbreeding	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	% Dir	% Dir
	MAT-HP(%)	MAT-UHP(%)	BirthDate	Age First Lamb	EPD	# Born First	EPD	TWtWn1st	EPD	Lambing Interval	# Born Later	TwtWn+
			#Progeny	EPD	Acc	EPD	Acc	EPD	Acc	EPD	Acc	EPD
				%	%	%	%	%	%	%	%	%
15	<b>CDB86601ED</b>	GMP26210C	43224	<b>0.07</b>	<b>-0.07</b>	<b>0.02</b>	<b>-0.48</b>	<b>0.43</b>	<b>-0.68</b>	<b>0.6</b>	<b>-0.06</b>	<b>-0.57</b>
		FRAN124A		5	4	55	23	36	20	63	64	73
	6.19 (97)	10.1 (99)	0,0229	94	19	98	4	98	13	97	92	1
	15.47 (86)	14.24 (93)	2017-04-08	<b>-2.78</b>		<b>0.28</b>		<b>0.1</b>		<b>-2.38</b>	<b>0.41</b>	<b>1.69</b>
	29.46 (82)	25.72 (89)		4		4		4		4	15	15
			0	94		48		57		84	61	72
16	<b>CDB49563FD</b>	GMP26210C	43224	<b>0.06</b>	<b>-0.07</b>	<b>-0.11</b>	<b>-0.44</b>	<b>-0.01</b>	<b>-0.31</b>	<b>0.27</b>	<b>-0.6</b>	<b>0.18</b>
		FRAN93A		6	4	55	24	38	21	44	39	42
	2.6 (94)	-0.59 (88)	0,0276	88	28	89	9	93	40	94	41	96
	16.68 (89)	12.52 (89)	2018-07-29	<b>-3.06</b>		<b>0.3</b>		<b>0.37</b>		<b>-2.06</b>	<b>0.48</b>	<b>2.61</b>
	32.52 (88)	25.62 (89)		4		4		4		4	16	16
			0	97		62		75		73	81	90
17	<b>HDA315ED (M)</b>	HDA4423D	81100	<b>0.05</b>	<b>-0.05</b>	<b>0.02</b>	<b>-0.46</b>	<b>0.21</b>	<b>-0.18</b>	<b>0.32</b>	<b>-2.53</b>	<b>-0.45</b>
		HDA121A		3	2	54	18	33	15	61	65	74
	3.33 (95)	0.27 (90)	0,0878	85	50	98	6	97	52	95	1	1
	17.11 (90)	13.32 (91)	2017-04-22	<b>-0.94</b>		<b>0.37</b>		<b>-0.17</b>		<b>-0.3</b>	<b>0.52</b>	<b>1.12</b>
	31.94 (87)	25.61 (89)		3		3		3		4	6	6
			0	32		89		37		11	97	58
18	<b>CDB86559ED</b>	GMP26210C	43224	<b>0.05</b>	<b>-0.06</b>	<b>-0.06</b>	<b>-0.4</b>	<b>0.08</b>	<b>-0.21</b>	<b>0.17</b>	<b>-0.42</b>	<b>0.06</b>
		DUFS99127A		5	4	55	23	34	19	62	64	72
	2.22 (93)	0.51 (91)	0,0422	84	32	95	18	94	50	92	64	82
	16.8 (89)	12.86 (90)	2017-04-07	<b>-3.05</b>		<b>0.32</b>		<b>0.13</b>		---	<b>0.48</b>	<b>2.56</b>
	32.16 (88)	25.58 (89)		4		4		4		0	14	14
			0	97		69		59		---	81	89
19	<b>CBM12904FD</b>	FRAN254D	43306	<b>0.05</b>	<b>-0.08</b>	<b>-0.01</b>	<b>-0.29</b>	<b>0.35</b>	<b>0.14</b>	<b>0.33</b>	<b>0.12</b>	<b>-0.07</b>
		LAU94300A		3	2	49	16	31	14	62	68	75
	4.22 (96)	4.71 (97)	0,0342	82	12	98	58	98	82	95	97	56
	16.82 (89)	14.01 (92)	2018-01-15	---		---		---		---	<b>0.41</b>	<b>1.62</b>
	30.48 (84)	25.32 (89)		0		0		0		0	8	8
			0	---		---		---		---	63	70



Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d	Ultra Loin	Ultra Fat	
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	EPD Dir	EPD Dir	
	GAIN(%)	CARC(%)	Dam	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Acc Dir	Acc Dir	
	MAT(%)	MAT-U(%)	Inbreeding	% Dir Mat		% Dir Mat		% Dir Mat		% Dir	% Dir	% Dir	
	MAT-HP(%)	MAT-UHP(%)	BirthDate	Age First Lamb		# Born First		TWtWn1st		Lambing Interval	# Born Later	TwtWn+	
			#Progeny	EPD		EPD		EPD		EPD	EPD	EPD	
				Acc %		Acc %		Acc %		Acc %	Acc %	Acc %	
20	<b>CDB09424ED</b>		GMP26210C	43224	<b>0.06</b>	<b>-0.06</b>	<b>0</b>	<b>-0.43</b>	<b>0.08</b>	<b>-0.42</b>	<b>0.11</b>	<b>-0.31</b>	<b>0.17</b>
			DUFS99132A		5	4	55	24	37	21	43	23	24
	1.67 (92)	-0.61 (88)	0,0425		89	39	98	12	94	30	91	76	95
	15.38 (85)	11.48 (87)	2017-11-29		<b>-3.09</b>		<b>0.32</b>		<b>0.18</b>		<b>-2.1</b>	<b>0.48</b>	<b>2.68</b>
	31.6 (86)	24.85 (88)			4		4		4		3	16	16
			0		97		68		62		74	81	91
21	<b>CBM12905FD</b>		FRAN254D	43306	<b>0.05</b>	<b>-0.08</b>	<b>-0.06</b>	<b>-0.29</b>	<b>0.07</b>	<b>0.14</b>	<b>0.16</b>	<b>-0.42</b>	<b>-0.74</b>
			LAU94300A		3	2	49	16	31	14	62	68	75
	2.08 (93)	6.87 (98)	0,0342		81	12	94	58	94	82	92	63	1
	15.29 (85)	13.3 (91)	2018-01-15		---		---		---		---	<b>0.41</b>	<b>1.62</b>
	29.05 (81)	24.63 (87)			0		0		0		0	8	8
			0		---		---		---		---	63	70
22	<b>CBM53231ED</b>		CBM5300C	43306	<b>0.01</b>	<b>-0.07</b>	<b>0.05</b>	<b>-0.39</b>	<b>0.16</b>	<b>-0.28</b>	<b>-0.08</b>	<b>0.34</b>	<b>-0.3</b>
			LAU94297A		4	3	54	20	34	17	63	69	76
	0.37 (89)	3.63 (96)	0,0151		35	19	99	21	96	42	86	99	7
	13.22 (79)	11 (86)	2017-01-23		---		---		---		---	<b>0.51</b>	<b>1.54</b>
	29.53 (82)	24.34 (87)			0		0		0		0	7	7
			0		---		---		---		---	86	69
23	<b>HDA5535ED (M)</b>		HDA4423D	81100	<b>0.05</b>	<b>-0.05</b>	<b>0.06</b>	<b>-0.46</b>	<b>0.34</b>	<b>-0.33</b>	<b>-0.36</b>	<b>-2.16</b>	<b>-0.47</b>
			HDA8375C		3	2	53	17	32	15	33	62	71
	0.36 (88)	-1.29 (85)	0,0558		84	62	99	7	98	38	76	1	1
	14.59 (83)	10.92 (86)	2017-05-12		<b>-0.4</b>		<b>0.42</b>		<b>-0.21</b>		<b>-0.26</b>	<b>0.52</b>	<b>1.11</b>
	30.74 (85)	24.21 (86)			3		3		3		3	3	3
			0		11		95		35		10	95	58
24	<b>CDB86420ED</b>		CBM4838C	43224	<b>0.06</b>	<b>-0.05</b>	<b>-0.04</b>	<b>-0.32</b>	<b>0.13</b>	<b>-0.22</b>	<b>0.49</b>	<b>-0.66</b>	<b>0.11</b>
			DUFS03886C		2	2	43	13	18	10	22	62	71
	4.08 (96)	1.15 (92)	0,0315		88	62	96	46	95	48	97	34	90
	15.39 (86)	12.1 (88)	2017-04-01		<b>-0.68</b>		<b>0.32</b>		<b>1.05</b>		---	<b>0.4</b>	<b>1.75</b>
	30.02 (83)	24.17 (86)			7		7		7		0	9	9
			0		17		70		99		---	58	74



Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d	Ultra Loin	Ultra Fat	
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	EPD Dir	EPD Dir	
	GAIN(%)	CARC(%)	Dam	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Acc Dir	Acc Dir	
	MAT(%)	MAT-U(%)	Inbreeding	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	% Dir	% Dir	
	MAT-HP(%)	MAT-UHP(%)	BirthDate	Age First Lamb	EPD	# Born First	EPD	TWtWn1st	EPD	Lambing Interval	# Born Later	TwtWn+	
			#Progeny	Acc %	Acc %	Acc %	Acc %	Acc %	Acc %	Acc %	Acc %	Acc %	
25	<b>CDB09410ED</b>		GMP26210C	43224	<b>0.05</b>	<b>-0.06</b>	<b>-0.08</b>	<b>-0.43</b>	<b>-0.07</b>	<b>-0.51</b>	<b>0.13</b>	<b>-0.38</b>	<b>0.21</b>
			DUFS99151A		5	4	55	23	35	20	62	67	75
	1.27 (91)	-1.51 (85)	0,0408		79	37	92	11	91	23	91	69	98
	14.49 (83)	10.55 (85)	2017-11-28		<b>-3.05</b>		<b>0.32</b>		<b>0.03</b>		---	<b>0.48</b>	<b>2.11</b>
	30.56 (84)	23.79 (85)			4		4		4		0	15	15
			0		97		70		52		---	81	82
26	<b>CBM69407ED</b>		CBM7092A	43306	<b>-0.03</b>	<b>-0.1</b>	<b>0.07</b>	<b>-0.45</b>	<b>0.62</b>	<b>-1</b>	<b>0.33</b>	<b>0.07</b>	<b>-0.22</b>
			LAU94298A		6	4	53	19	34	18	39	24	24
	4.42 (96)	6.01 (97)	0,0668		7	4	99	7	99	3	95	96	16
	9.96 (69)	9.19 (80)	2017-05-19		---		---		---		---	<b>0.47</b>	<b>0.76</b>
	27.86 (78)	23.69 (85)			0		0		0		0	21	21
			0		---		---		---		---	79	50
27	<b>CDB49309FD</b>		GMP26210C	43224	<b>0.05</b>	<b>-0.06</b>	<b>0.15</b>	<b>-0.43</b>	<b>0.6</b>	<b>-0.61</b>	<b>0.11</b>	<b>-0.56</b>	<b>0.07</b>
			CDB86609E		5	4	51	20	31	18	60	68	75
	3.68 (95)	1.37 (92)	0,0471		85	44	99	11	99	17	91	47	85
	14.04 (82)	11.06 (86)	2018-05-10		<b>-2.46</b>		<b>0.32</b>		<b>0.27</b>		---	<b>0.44</b>	<b>1.69</b>
	29.35 (82)	23.64 (85)			4		4		4		0	8	8
			0		90		69		69		---	70	72
28	<b>HDA301ED (M)</b>		HDA4423D	81100	<b>0.06</b>	<b>-0.05</b>	<b>0.04</b>	<b>-0.47</b>	<b>0.33</b>	<b>-0.09</b>	<b>-0.37</b>	<b>-1.97</b>	<b>-0.11</b>
			HDA347Z		3	2	55	19	34	16	62	62	71
	0.49 (89)	-3.6 (75)	0,0713		90	65	99	5	98	62	75	1	44
	16.05 (87)	11.47 (87)	2017-04-19		<b>0.08</b>		<b>0.37</b>		<b>-0.04</b>		<b>-0.36</b>	<b>0.52</b>	<b>1.25</b>
	30.71 (85)	23.64 (85)			4		4		4		6	6	6
			0		4		87		46		12	97	61
29	<b>CDB09455ED</b>		GMP26210C	43224	<b>0.06</b>	<b>-0.05</b>	<b>-0.09</b>	<b>-0.43</b>	<b>0.12</b>	<b>-0.48</b>	<b>0.18</b>	<b>0.26</b>	<b>0.32</b>
			DUFS16869C		5	4	54	22	35	20	62	68	75
	2.8 (94)	0.63 (91)	0,0512		91	63	92	11	95	25	92	98	99
	14.92 (84)	11.5 (87)	2017-12-03		<b>-3.56</b>		<b>0.29</b>		<b>0.05</b>		---	<b>0.43</b>	<b>2.59</b>
	29.53 (82)	23.56 (85)			4		4		4		0	12	12
			0		99		56		53		---	69	90



Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d	Ultra Loin	Ultra Fat
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	EPD Dir	EPD Dir
	GAIN(%)	CARC(%)	Dam	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Acc Dir	Acc Dir
	MAT(%)	MAT-U(%)	Inbreeding	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	% Dir	% Dir
	MAT-HP(%)	MAT-UHP(%)	BirthDate	Age First Lamb	EPD	# Born First	EPD	TWtWn1st	EPD	Lambing Interval	# Born Later	TwtWn+
			#Progeny	EPD	Acc	EPD	Acc	EPD	Acc	EPD	Acc	EPD
				%	%	%	%	%	%	%	%	%
30	<b>CBM53492ED</b>	CBM5300C	43306	<b>0.02</b>	<b>-0.06</b>	<b>0</b>	<b>-0.44</b>	<b>0.25</b>	<b>-0.35</b>	<b>0.2</b>	<b>0.67</b>	<b>-0.16</b>
		CBM7764C		4	3	53	19	31	15	62	23	24
	2.6 (94)	5.35 (97)	0,0119	46	39	98	9	97	36	93	99	31
	14.25 (82)	12.2 (89)	2017-03-22	---		---		---		---	<b>0.44</b>	<b>1.44</b>
	28.02 (78)	23.52 (85)		0		0		0		0	4	4
			0	---		---		---		---	71	66
31	<b>CDB86477ED</b>	GMP26210C	43224	<b>0.04</b>	<b>-0.07</b>	<b>0.04</b>	<b>-0.41</b>	<b>0.2</b>	<b>-0.14</b>	<b>-0.07</b>	<b>-0.8</b>	<b>-0.15</b>
		FRAN86Z		5	4	55	24	30	18	43	64	72
	1.04 (90)	0.17 (90)	0,0274	75	27	99	15	96	56	86	18	31
	15.44 (86)	11.71 (87)	2017-04-04	<b>-3.06</b>		<b>0.29</b>		<b>0.21</b>		<b>-2.06</b>	<b>0.45</b>	<b>2.09</b>
	29.54 (82)	23.38 (85)		4		4		4		3	15	15
			0	97		55		64		73	75	81
32	<b>HDA314ED (M)</b>	HDA4423D	81100	<b>0.05</b>	<b>-0.05</b>	<b>-0.07</b>	<b>-0.46</b>	<b>-0.12</b>	<b>-0.18</b>	<b>-0.01</b>	<b>-2.06</b>	<b>-0.35</b>
		HDA121A		3	2	54	18	33	15	61	65	74
	0.25 (88)	-2.1 (82)	0,0878	84	50	93	6	90	52	88	1	4
	14.9 (84)	10.95 (86)	2017-04-22	<b>-0.94</b>		<b>0.37</b>		<b>-0.17</b>		<b>-0.3</b>	<b>0.52</b>	<b>1.12</b>
	29.89 (83)	23.34 (84)		3		3		3		4	6	6
			0	32		89		37		11	97	58
33	<b>CDB86433ED</b>	GMP26860C	43224	<b>0.07</b>	<b>-0.06</b>	<b>-0.22</b>	<b>-0.61</b>	<b>-0.36</b>	<b>-1.06</b>	<b>-0.12</b>	<b>-0.2</b>	<b>0.3</b>
		GENE20124Y		4	3	55	21	31	16	43	19	20
	-0.48 (86)	-3.34 (76)	0,0291	94	33	66	1	81	2	85	85	99
	12.55 (77)	8.52 (78)	2017-04-03	<b>-2.51</b>		<b>0.35</b>		<b>0.17</b>		<b>-2.45</b>	<b>0.5</b>	<b>2.06</b>
	30.63 (84)	23.34 (84)		8		8		8		4	21	21
			0	90		82		61		86	92	80
34	<b>CBM53167ED</b>	CBM5300C	43306	<b>0</b>	<b>-0.07</b>	<b>0.09</b>	<b>-0.4</b>	<b>0.42</b>	<b>-0.45</b>	<b>-0.07</b>	<b>0.28</b>	<b>-0.65</b>
		LAU94189A		4	3	52	19	34	16	63	69	76
	1.43 (91)	7.34 (98)	0,0141	21	30	99	18	98	28	86	99	1
	11.96 (75)	10.97 (86)	2017-01-10	---		---		---		---	<b>0.46</b>	<b>1.57</b>
	27.12 (76)	23.33 (84)		0		0		0		0	8	8
			0	---		---		---		---	76	69



Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d	Ultra Loin	Ultra Fat	
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	EPD Dir	EPD Dir	
	GAIN(%)	CARC(%)	Dam	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Acc Dir	Acc Dir	
	MAT(%)	MAT-U(%)	Inbreeding	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	% Dir	% Dir	
	MAT-HP(%)	MAT-UHP(%)	BirthDate	Age First Lamb	EPD	# Born First	EPD	TWtWn1st	EPD	Lambing Interval	# Born Later	TwtWn+	
			#Progeny	Acc	%	Acc	%	Acc	%	Acc	%	Acc	
35	<b>CBM12377FD</b>		FRAN254D	43306	<b>0.07</b>	<b>-0.05</b>	<b>-0.1</b>	<b>-0.29</b>	<b>-0.08</b>	<b>-0.01</b>	<b>-0.04</b>	<b>-0.35</b>	<b>-0.12</b>
			CBM8878B		3	2	53	18	33	15	63	43	44
	0.78 (90)	0.79 (91)	0,0373		95	65	90	59	91	70	87	72	42
	15.1 (85)	11.61 (87)	2018-03-19		---		---		---		---	<b>0.43</b>	<b>1.83</b>
	29.25 (81)	23.31 (84)			0		0		0		0	7	7
			0		---		---		---		---	69	76
36	<b>CBM69487ED</b>		CBM7092A	43306	<b>-0.03</b>	<b>-0.1</b>	<b>0</b>	<b>-0.45</b>	<b>0.56</b>	<b>-1</b>	<b>0.14</b>	<b>-0.62</b>	<b>-0.51</b>
			LAU94298A		6	4	53	19	34	18	61	64	72
	3.57 (95)	5.8 (97)	0,0668		7	4	98	7	99	3	92	38	1
	9.34 (67)	8.64 (78)	2017-05-19		---		---		---		---	<b>0.47</b>	<b>0.76</b>
	27.29 (77)	23.17 (84)			0		0		0		0	21	21
			0		---		---		---		---	79	50
37	<b>CDB49615FD</b>		GMP26210C	43224	<b>0.04</b>	<b>-0.06</b>	<b>0.05</b>	<b>-0.36</b>	<b>0.17</b>	<b>-0.04</b>	<b>0.04</b>	<b>-0.58</b>	<b>0.23</b>
			FRAN141A		5	4	55	23	36	20	42	39	41
	1.36 (91)	-2.07 (82)	0,0286		74	38	99	30	96	66	89	44	98
	15.84 (87)	11.48 (87)	2018-08-01		<b>-3.02</b>		<b>0.29</b>		<b>0.35</b>		---	<b>0.44</b>	<b>2.41</b>
	29.87 (83)	23.14 (84)			4		4		4		0	15	15
			0		96		55		74		---	70	87
38	<b>HDA329ED (M)</b>		HDA4410D	81100	<b>0.03</b>	<b>-0.05</b>	<b>-0.1</b>	<b>-0.4</b>	<b>-0.2</b>	<b>0.04</b>	<b>-0.24</b>	<b>-0.83</b>	<b>-0.09</b>
			HDA520C		1	1	50	10	26	9	31	60	70
	-1.4 (83)	-2.61 (80)	0,0280		67	67	91	18	87	75	81	15	50
	14.79 (84)	10.69 (85)	2017-05-08		<b>-1.1</b>		<b>0.38</b>		<b>0.3</b>		<b>-0.39</b>	<b>0.49</b>	<b>1.55</b>
	29.78 (83)	23.08 (84)			4		4		4		3	3	3
			0		39		91		71		13	97	69
39	<b>CDB86424ED</b>		GMP26860C	43224	<b>0.08</b>	<b>-0.07</b>	<b>-0.29</b>	<b>-0.62</b>	<b>-0.47</b>	<b>-1.03</b>	<b>-0.08</b>	<b>0.17</b>	<b>0.6</b>
			DUFS16829B		4	3	54	20	27	14	35	64	73
	-0.43 (86)	-4.8 (68)	0,0607		97	29	48	1	76	2	86	97	99
	12.55 (77)	8.21 (77)	2017-04-02		<b>-3.9</b>		<b>0.35</b>		<b>-0.04</b>		---	<b>0.51</b>	<b>2.26</b>
	30.67 (85)	23.07 (84)			8		8		8		0	16	16
			0		99		82		47		---	92	84





Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d	Ultra Loin	Ultra Fat
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	EPD Dir	EPD Dir
	GAIN(%)	CARC(%)	Dam	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Acc Dir	Acc Dir
	MAT(%)	MAT-U(%)	Inbreeding	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	% Dir	% Dir
	MAT-HP(%)	MAT-UHP(%)	BirthDate	Age First Lamb	EPD	# Born First	EPD	TWtWn1st	EPD	Lambing Interval	# Born Later	TwtWn+
			#Progeny	EPD	Acc	EPD	Acc	EPD	Acc	EPD	Acc	EPD
				%	%	%	%	%	%	%	%	%
40	<b>CDB86541ED</b>	CBM7934C	43224	<b>0.06</b>	<b>-0.07</b>	<b>-0.04</b>	<b>-0.4</b>	<b>0.19</b>	<b>-0.59</b>	<b>0.91</b>	<b>-0.2</b>	<b>0.19</b>
		DUFS92201B		3	2	54	19	34	17	62	67	75
	6.6 (97)	3.98 (96)	0,0505	89	25	96	18	96	18	99	85	96
	14.53 (83)	12.08 (88)	2017-04-06	<b>-1.83</b>		<b>0.28</b>		<b>0.38</b>		---	<b>0.37</b>	<b>1.09</b>
	27.74 (78)	22.98 (84)		4		4		4		0	15	15
			0	71		49		76		---	50	58
41	<b>CDB47512FD</b>	GMP26210C	43224	<b>0.06</b>	<b>-0.05</b>	<b>-0.1</b>	<b>-0.42</b>	<b>0.02</b>	<b>-0.6</b>	<b>0.07</b>	<b>-0.69</b>	<b>0.21</b>
		DUFS16860C		5	4	55	23	36	20	42	41	43
	1.82 (92)	-1.75 (84)	0,0421	91	51	90	13	93	17	90	30	97
	13.73 (81)	9.94 (83)	2018-08-15	<b>-3.25</b>		<b>0.3</b>		<b>0.13</b>		---	<b>0.45</b>	<b>2.52</b>
	29.4 (82)	22.85 (83)		4		4		4		0	14	14
			0	98		60		59		---	73	89
42	<b>HDA5513ED (M)</b>	HDA5571D	81100	<b>0.01</b>	<b>-0.05</b>	<b>-0.11</b>	<b>-0.32</b>	<b>-0.12</b>	<b>0.25</b>	<b>-0.35</b>	<b>-1.97</b>	<b>-0.51</b>
		HDA992A		2	1	52	13	27	10	61	61	71
	-1.69 (81)	-2.34 (81)	0,0203	37	61	89	48	90	89	76	1	1
	14.83 (84)	10.78 (85)	2017-04-27	<b>-0.62</b>		<b>0.4</b>		<b>0.19</b>		<b>-0.39</b>	<b>0.46</b>	<b>1.85</b>
	29.4 (82)	22.83 (83)		3		3		3		6	6	6
			0	16		96		63		13	77	76
43	<b>CDB09454ED</b>	GMP26210C	43224	<b>0.06</b>	<b>-0.05</b>	<b>-0.05</b>	<b>-0.43</b>	<b>0.14</b>	<b>-0.48</b>	<b>-0.09</b>	<b>0.9</b>	<b>0.39</b>
		DUFS16869C		5	4	54	22	35	20	62	68	75
	1.43 (91)	0.41 (90)	0,0512	91	63	95	11	96	25	86	99	99
	13.94 (81)	10.65 (85)	2017-12-03	<b>-3.56</b>		<b>0.29</b>		<b>0.05</b>		---	<b>0.43</b>	<b>2.59</b>
	28.61 (80)	22.74 (83)		4		4		4		0	12	12
			0	99		56		53		---	69	90
44	<b>CBM13089FD</b>	CBM7092A	43306	<b>-0.01</b>	<b>-0.09</b>	<b>0.13</b>	<b>-0.38</b>	<b>0.95</b>	<b>-0.63</b>	<b>0.29</b>	<b>-0.11</b>	<b>0.1</b>
		LAU94296A		6	4	52	19	33	18	62	68	76
	5.99 (97)	4.35 (96)	0,0654	16	6	99	23	99	16	94	90	89
	11.94 (75)	10.35 (84)	2018-01-28	---		---		---		---	<b>0.42</b>	<b>0.56</b>
	27.1 (76)	22.73 (83)		0		0		0		0	21	21
			0	---		---		---		---	64	45



Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d	Ultra Loin	Ultra Fat
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	EPD Dir	EPD Dir
	GAIN(%)	CARC(%)	Dam	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Acc Dir	Acc Dir
	MAT(%)	MAT-U(%)	Inbreeding	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	% Dir	% Dir
	MAT-HP(%)	MAT-UHP(%)	BirthDate	Age First Lamb	EPD	# Born First	EPD	TWtWn1st	EPD	Lambing Interval	# Born Later	TwtWn+
			#Progeny	EPD	Acc	EPD	Acc	EPD	Acc	EPD	Acc	EPD
				%	%	%	%	%	%	%	%	%
45	<b>CDB09428ED</b>	GMP26210C	43224	<b>0.05</b>	<b>-0.06</b>	<b>0.01</b>	<b>-0.42</b>	<b>0.35</b>	<b>-0.49</b>	<b>-0.09</b>	<b>-0.33</b>	<b>0.33</b>
		DUFS16877C		5	4	54	22	33	19	62	68	75
	2.01 (92)	-1.68 (84)	0,0508	81	45	98	13	98	25	86	74	99
	14.04 (82)	10.23 (84)	2017-11-30	<b>-3.61</b>		<b>0.3</b>		<b>0.01</b>		---	<b>0.44</b>	<b>2.38</b>
	29.02 (81)	22.58 (83)		4		4		4		0	10	10
			0	99		59		50		---	72	87
46	<b>CDB49332FD</b>	GMP26210C	43224	<b>0.08</b>	<b>-0.06</b>	<b>-0.02</b>	<b>-0.56</b>	<b>0.37</b>	<b>-0.87</b>	<b>0.44</b>	<b>0.03</b>	<b>0.46</b>
		CDB86553E		5	4	51	20	28	17	57	64	73
	5.34 (97)	1.18 (92)	0,0449	95	37	97	1	98	5	96	95	99
	14.43 (83)	11.28 (86)	2018-05-11	<b>-3.62</b>		<b>0.3</b>		<b>-0.4</b>		---	<b>0.4</b>	<b>1.69</b>
	28.04 (79)	22.52 (83)		4		4		4		0	8	8
			0	99		59		26		---	60	72
47	<b>CDB86564ED</b>	CBM7934C	43224	<b>0.06</b>	<b>-0.07</b>	<b>-0.07</b>	<b>-0.4</b>	<b>0.13</b>	<b>-0.26</b>	<b>0.74</b>	<b>-0.49</b>	<b>0.39</b>
		FRAN509A		3	2	53	18	33	17	62	66	74
	5.62 (97)	0.73 (91)	0,0448	89	29	93	17	95	45	98	55	99
	15.93 (87)	12.34 (89)	2017-04-07	<b>-1.4</b>		<b>0.27</b>		<b>0.57</b>		---	<b>0.35</b>	<b>1.67</b>
	28.07 (79)	22.45 (82)		4		4		4		0	15	15
			0	52		43		86		---	45	72
48	<b>CBM69400ED</b>	CBM5300C	43306	<b>0.01</b>	<b>-0.06</b>	<b>0.05</b>	<b>-0.42</b>	<b>0.21</b>	<b>-0.21</b>	<b>-0.46</b>	<b>0.21</b>	<b>-0.41</b>
		CBM2512C		4	3	54	20	25	13	41	38	41
	-1.29 (83)	2.68 (95)	0,0186	35	42	99	13	96	49	71	98	2
	12.53 (77)	10.21 (84)	2017-05-19	---		---		---		---	<b>0.48</b>	<b>1.66</b>
	27.41 (77)	22.4 (82)		0		0		0		0	5	5
			0	---		---		---		---	81	72
49	<b>CBM53502ED</b>	CBM5300C	43306	<b>0.02</b>	<b>-0.05</b>	<b>0.04</b>	<b>-0.41</b>	<b>0.11</b>	<b>-0.38</b>	<b>0.07</b>	<b>-0.18</b>	<b>-0.1</b>
		CBM7413C		4	3	54	20	25	13	39	23	24
	0.95 (90)	1.21 (92)	0,0162	43	60	99	15	95	33	90	86	48
	12.96 (79)	10.25 (84)	2017-03-24	---		---		---		---	<b>0.47</b>	<b>1.53</b>
	27.72 (78)	22.37 (82)		0		0		0		0	4	4
			0	---		---		---		---	80	68



Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d	Ultra Loin	Ultra Fat	
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	EPD Dir	EPD Dir	
	GAIN(%)	CARC(%)	Dam	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Acc Dir	Acc Dir	
	MAT(%)	MAT-U(%)	Inbreeding	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	% Dir	% Dir	
	MAT-HP(%)	MAT-UHP(%)	BirthDate	Age First Lamb	EPD	# Born First	EPD	TWtWn1st	EPD	Lambing Interval	# Born Later	TwtWn+	
			#Progeny	Acc %	Acc %	Acc %	Acc %	Acc %	Acc %	Acc %	Acc %	Acc %	
50	<b>CBM53106ED</b>		CBM5300C	43306	<b>0</b>	<b>-0.06</b>	<b>-0.02</b>	<b>-0.41</b>	<b>0.28</b>	<b>-0.11</b>	<b>-0.3</b>	<b>0.17</b>	<b>-0.24</b>
			CBM7928C		4	3	53	19	33	16	63	41	43
	0.28 (88)	2.67 (95)	0,0186		28	44	97	15	97	60	78	97	13
	13.57 (80)	11.06 (86)	2017-05-08		---		---		---		---	<b>0.45</b>	<b>1.76</b>
	27.21 (77)	22.29 (82)			0		0		0		0	4	4
			0		---		---		---		---	74	74
51	<b>CBM8771DD</b>		CBM6773B	43306	<b>0.03</b>	<b>-0.08</b>	<b>0.06</b>	<b>-0.38</b>	<b>0.28</b>	<b>-0.49</b>	<b>0.43</b>	<b>0.23</b>	<b>-0.06</b>
			LAU94291A		5	3	52	17	35	18	63	44	45
	3.72 (95)	4.43 (96)	0,0545		55	12	99	24	97	25	96	98	59
	12.03 (76)	10.32 (84)	2016-05-24		---		---		---		---	<b>0.41</b>	<b>0.82</b>
	26.5 (75)	22.15 (82)			0		0		0		0	22	22
			0		---		---		---		---	62	51
52	<b>CBM69447ED</b>		CBM5300C	43306	<b>0.02</b>	<b>-0.06</b>	<b>0.04</b>	<b>-0.45</b>	<b>0.1</b>	<b>-0.48</b>	<b>0.08</b>	<b>0.38</b>	<b>-0.32</b>
			CBM4884C		4	3	52	18	30	15	39	23	24
	0.98 (90)	4.47 (96)	0,0224		47	40	99	8	95	25	90	99	5
	11.8 (75)	10.16 (83)	2017-05-28		---		---		---		---	<b>0.44</b>	<b>1.59</b>
	26.39 (74)	22.08 (81)			0		0		0		0	3	3
			0		---		---		---		---	72	70
53	<b>CDB86499ED</b>		CBM7934C	43224	<b>0.04</b>	<b>-0.08</b>	<b>0.09</b>	<b>-0.44</b>	<b>0.52</b>	<b>-0.77</b>	<b>0.85</b>	<b>-0.23</b>	<b>-0.38</b>
			DUFS92205B		3	2	53	18	31	15	60	66	74
	7.12 (98)	8.97 (99)	0,0516		73	10	99	9	99	9	99	83	3
	12.54 (77)	11.78 (88)	2017-04-05		<b>-1.71</b>		<b>0.26</b>		<b>0.35</b>		---	<b>0.33</b>	<b>0.88</b>
	25.11 (71)	22.06 (81)			4		4		4		0	13	13
			0		66		37		74		---	37	53
54	<b>CDB09479ED</b>		GMP26210C	43224	<b>0.06</b>	<b>-0.06</b>	<b>-0.04</b>	<b>-0.43</b>	<b>0.27</b>	<b>-0.5</b>	<b>0.55</b>	<b>-0.96</b>	<b>0.44</b>
			FRAN416A		5	4	54	23	35	19	63	68	76
	5.25 (97)	-1.22 (86)	0,0272		90	41	96	10	97	24	97	6	99
	15.44 (86)	11.44 (87)	2017-12-08		<b>-3.48</b>		<b>0.28</b>		<b>-0.06</b>		---	<b>0.39</b>	<b>1.64</b>
	28.15 (79)	22.01 (81)			4		4		4		0	14	14
			0		98		49		44		---	56	71



Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d	Ultra Loin	Ultra Fat	
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	EPD Dir	EPD Dir	
	GAIN(%)	CARC(%)	Dam	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Acc Dir	Acc Dir	
	MAT(%)	MAT-U(%)	Inbreeding	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	% Dir	% Dir	
	MAT-HP(%)	MAT-UHP(%)	BirthDate	Age First Lamb	EPD	# Born First	EPD	TWtWn1st	EPD	Lambing Interval	# Born Later	TwtWn+	
			#Progeny	EPD	Acc	EPD	Acc	EPD	Acc	EPD	Acc	EPD	
				%	%	%	%	%	%	%	%	%	
55	<b>CDB86476ED</b>		GMP26210C	43224	<b>0.03</b>	<b>-0.07</b>	<b>-0.07</b>	<b>-0.41</b>	<b>-0.04</b>	<b>-0.14</b>	<b>-0.21</b>	<b>-0.7</b>	<b>0</b>
			FRAN86Z		5	4	55	24	30	18	43	23	24
	-0.45 (86)	-2.15 (82)	0,0274		65	27	93	15	92	56	82	28	71
	14.37 (83)	10.28 (84)	2017-04-04		<b>-3.06</b>		<b>0.29</b>		<b>0.21</b>		<b>-2.06</b>	<b>0.45</b>	<b>2.09</b>
	28.54 (80)	22.01 (81)			4		4		4		3	15	15
			0		97		55		64		73	75	81
56	<b>CDB49614FD</b>		GMP26210C	43224	<b>0.04</b>	<b>-0.06</b>	<b>-0.04</b>	<b>-0.36</b>	<b>-0.04</b>	<b>-0.04</b>	<b>-0.13</b>	<b>-0.65</b>	<b>0.2</b>
			FRAN141A		5	4	55	23	36	20	42	39	41
	-0.13 (87)	-3.38 (76)	0,0286		73	38	96	30	92	66	84	35	97
	14.77 (84)	10.3 (84)	2018-08-01		<b>-3.02</b>		<b>0.29</b>		<b>0.35</b>		---	<b>0.44</b>	<b>2.41</b>
	28.88 (80)	22 (81)			4		4		4		0	15	15
			0		96		55		74		---	70	87
57	<b>CBM13058FD</b>		FRAN254D	43306	<b>0.05</b>	<b>-0.07</b>	<b>0</b>	<b>-0.33</b>	<b>0.43</b>	<b>0.09</b>	<b>-0.52</b>	<b>-0.81</b>	<b>0.2</b>
			CBM7928C		3	2	53	17	31	14	62	68	75
	0.43 (89)	-3.29 (77)	0,0352		84	29	98	43	99	78	68	16	97
	14.88 (84)	10.48 (84)	2018-01-20		---		---		---		---	<b>0.43</b>	<b>1.79</b>
	28.76 (80)	21.99 (81)			0		0		0		0	4	4
			0		---		---		---		---	68	75
58	<b>CBM12867FD</b>		FRAN254D	43306	<b>0.08</b>	<b>-0.08</b>	<b>-0.02</b>	<b>-0.37</b>	<b>-0.04</b>	<b>-0.34</b>	<b>-0.25</b>	<b>-1</b>	<b>-0.47</b>
			LAU94183A		3	2	52	17	32	14	62	68	75
	-0.47 (86)	0.9 (92)	0,0084		96	13	97	27	92	37	80	5	1
	11.61 (74)	8.95 (79)	2018-01-09		---		---		---		---	<b>0.44</b>	<b>1.53</b>
	27.54 (77)	21.98 (81)			0		0		0		0	7	7
			0		---		---		---		---	71	68
59	<b>CBM53154ED</b>		CBM5300C	43306	<b>0.01</b>	<b>-0.05</b>	<b>0.06</b>	<b>-0.39</b>	<b>0</b>	<b>-0.18</b>	<b>-0.07</b>	<b>-0.23</b>	<b>-0.42</b>
			CBM7402C		4	3	53	19	24	13	39	68	75
	-0.56 (86)	2.36 (94)	0,0260		36	59	99	21	93	53	86	83	2
	13.1 (79)	10.55 (85)	2017-01-10		---		---		---		---	<b>0.47</b>	<b>1.4</b>
	26.96 (76)	21.94 (81)			0		0		0		0	4	4
			0		---		---		---		---	78	65



Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d	Ultra Loin	Ultra Fat	
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	EPD Dir	EPD Dir	
	GAIN(%)	CARC(%)	Dam	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Acc Dir	Acc Dir	
	MAT(%)	MAT-U(%)	Inbreeding	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	% Dir	% Dir	
	MAT-HP(%)	MAT-UHP(%)	BirthDate	Age First Lamb	EPD	# Born First	EPD	TWtWn1st	EPD	Lambing Interval	# Born Later	TwtWn+	
			#Progeny	Acc %	Acc %	Acc %	Acc %	Acc %	Acc %	Acc %	Acc %	Acc %	
60	<b>CDB86560ED</b>		GMP26210C	43224	<b>0.07</b>	<b>-0.06</b>	<b>-0.04</b>	<b>-0.4</b>	<b>0.18</b>	<b>-0.62</b>	<b>-0.09</b>	<b>0.86</b>	<b>0.59</b>
			DUFS16864C		5	4	54	22	35	20	60	67	75
	1.58 (92)	-1.16 (86)	0,0417		92	40	96	18	96	16	86	99	99
	12.64 (78)	9.25 (80)	2017-04-05		<b>-3.26</b>		<b>0.29</b>		<b>0.08</b>		---	<b>0.44</b>	<b>2.25</b>
	28.07 (79)	21.93 (81)			4		4		4		0	14	14
			0		98		57		55		---	71	84
61	<b>CBM53238ED</b>		CBM7932C	43306	<b>0.03</b>	<b>-0.08</b>	<b>0.02</b>	<b>-0.38</b>	<b>0.44</b>	<b>-0.56</b>	<b>0.28</b>	<b>-0.94</b>	<b>-0.06</b>
			LAU94291A		5	4	53	21	36	19	63	69	76
	4.15 (96)	1.89 (93)	0,1178		64	10	98	24	99	20	94	7	59
	11.46 (74)	9.35 (81)	2017-01-23		---		---		---		---	<b>0.41</b>	<b>1.07</b>
	26.66 (75)	21.77 (81)			0		0		0		0	8	8
			0		---		---		---		---	61	57
62	<b>CBM12793ED</b>		FRAN254D	43306	<b>0.07</b>	<b>-0.06</b>	<b>-0.04</b>	<b>-0.33</b>	<b>0.05</b>	<b>-0.19</b>	<b>-0.29</b>	<b>-0.84</b>	<b>0.07</b>
			CBM7413C		3	2	53	18	29	13	38	23	23
	-0.24 (87)	-2.91 (78)	0,0164		92	43	97	43	94	52	79	14	84
	13.3 (80)	9.33 (81)	2017-11-25		---		---		---		---	<b>0.45</b>	<b>1.55</b>
	28.36 (79)	21.74 (81)			0		0		0		0	4	4
			0		---		---		---		---	74	69
63	<b>CDB09409ED</b>		GMP26210C	43224	<b>0.05</b>	<b>-0.06</b>	<b>-0.1</b>	<b>-0.43</b>	<b>-0.14</b>	<b>-0.51</b>	<b>-0.42</b>	<b>-0.5</b>	<b>0.03</b>
			DUFS99151A		5	4	55	23	35	20	62	67	75
	-1.77 (81)	-3.13 (77)	0,0408		78	37	90	11	89	23	73	54	78
	12.31 (77)	8.39 (78)	2017-11-28		<b>-3.05</b>		<b>0.32</b>		<b>0.03</b>		---	<b>0.48</b>	<b>2.11</b>
	28.53 (80)	21.71 (80)			4		4		4		0	15	15
			0		97		70		52		---	81	82
64	<b>CBM12334FD</b>		CBM7932C	43306	<b>0.05</b>	<b>-0.05</b>	<b>0.13</b>	<b>-0.31</b>	<b>0.69</b>	<b>-0.42</b>	<b>0.08</b>	<b>0.1</b>	<b>0.12</b>
			CBM8917B		5	4	53	21	36	19	63	44	46
	4.16 (96)	3.06 (95)	0,0766		79	58	99	51	99	31	90	96	91
	12.29 (77)	10.27 (84)	2018-03-14		---		---		---		---	<b>0.39</b>	<b>1.41</b>
	26.23 (74)	21.7 (80)			0		0		0		0	7	7
			0		---		---		---		---	57	65



Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d	Ultra Loin	Ultra Fat	
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	EPD Dir	EPD Dir	
	GAIN(%)	CARC(%)	Dam	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Acc Dir	Acc Dir	
	MAT(%)	MAT-U(%)	Inbreeding	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	% Dir	% Dir	
	MAT-HP(%)	MAT-UHP(%)	BirthDate	Age First Lamb	EPD	# Born First	EPD	TWtWn1st	EPD	Lambing Interval	# Born Later	TwtWn+	
			#Progeny	EPD	Acc	EPD	Acc	EPD	Acc	EPD	Acc	EPD	
				%	%	%	%	%	%	%	%	%	
65	<b>CBM53111ED</b>		CBM5300C	43306	<b>0.01</b>	<b>-0.07</b>	<b>-0.03</b>	<b>-0.39</b>	<b>-0.16</b>	<b>-0.28</b>	<b>-0.46</b>	<b>0.57</b>	<b>-0.19</b>
			LAU94297A		4	3	54	20	34	17	63	69	76
	-3.02 (75)	0.23 (90)	0,0151		34	19	97	21	88	42	71	99	23
	10.79 (72)	8.21 (77)	2017-01-23		---		---		---		---	<b>0.51</b>	<b>1.54</b>
	27.27 (77)	21.65 (80)			0		0		0		0	7	7
			0		---		---		---		---	86	69
66	<b>CDB49452FD</b>		GMP26210C	43224	<b>0.05</b>	<b>-0.06</b>	<b>0.16</b>	<b>-0.41</b>	<b>0.43</b>	<b>-0.33</b>	<b>0.26</b>	<b>-0.35</b>	<b>0.1</b>
			CDB86473E		5	3	48	19	28	17	24	23	24
	3.39 (95)	1.43 (93)	0,0407		83	32	99	15	99	38	94	72	88
	14.33 (83)	11.24 (86)	2018-05-19		<b>-2.84</b>		<b>0.26</b>		<b>0.16</b>		---	<b>0.39</b>	<b>1.6</b>
	26.89 (76)	21.64 (80)			4		4		4		0	8	8
			0		95		39		61		---	56	70
67	<b>CDB49758FD</b>		GMP26210C	43224	<b>0.06</b>	<b>-0.06</b>	<b>-0.06</b>	<b>-0.4</b>	<b>0.11</b>	<b>-0.62</b>	<b>-0.16</b>	<b>-0.16</b>	<b>0.25</b>
			DUFS16864C		5	4	54	22	35	20	36	38	41
	0.91 (90)	-1.62 (84)	0,0417		89	40	94	18	95	16	84	87	99
	12.16 (76)	8.75 (79)	2018-08-11		<b>-3.26</b>		<b>0.29</b>		<b>0.08</b>		---	<b>0.44</b>	<b>2.25</b>
	27.63 (77)	21.45 (80)			4		4		4		0	14	14
			0		98		57		55		---	71	84
68	<b>CDB49451FD</b>		GMP26210C	43224	<b>0.06</b>	<b>-0.07</b>	<b>0.05</b>	<b>-0.47</b>	<b>0.34</b>	<b>-0.55</b>	<b>0.27</b>	<b>-0.29</b>	<b>0.67</b>
			CDB86534E		5	3	48	19	30	18	60	67	75
	3.67 (95)	-2.8 (79)	0,0402		86	29	99	5	98	21	94	77	99
	14.1 (82)	10.04 (83)	2018-05-18		<b>-2.86</b>		<b>0.27</b>		<b>0.19</b>		---	<b>0.41</b>	<b>1.78</b>
	27.86 (78)	21.43 (80)			4		4		4		0	8	8
			0		95		42		63		---	62	74
69	<b>CDB47534FD</b>		GMP26210C	43224	<b>0.05</b>	<b>-0.06</b>	<b>-0.06</b>	<b>-0.42</b>	<b>0.02</b>	<b>-0.26</b>	<b>-0.28</b>	<b>-0.46</b>	<b>0.14</b>
			FRAN177C		5	4	54	22	35	20	40	23	24
	-0.34 (86)	-2.57 (80)	0,0279		84	41	95	13	93	44	79	60	93
	13.78 (81)	9.72 (82)	2018-08-15		<b>-3.06</b>		<b>0.28</b>		<b>0.28</b>		---	<b>0.43</b>	<b>2.37</b>
	27.81 (78)	21.33 (79)			4		4		4		0	14	14
			0		97		51		70		---	67	86



Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d	Ultra Loin	Ultra Fat	
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	EPD Dir	EPD Dir	
	GAIN(%)	CARC(%)	Dam	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Acc Dir	Acc Dir	
	MAT(%)	MAT-U(%)	Inbreeding	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	% Dir	% Dir	
	MAT-HP(%)	MAT-UHP(%)	BirthDate	Age First Lamb	EPD	# Born First	EPD	TWtWn1st	EPD	Lambing Interval	# Born Later	TwtWn+	
			#Progeny	EPD	Acc	Acc	Acc	Acc	Acc	Acc	Acc	Acc	
				%	%	%	%	%	%	%	%	%	
70	<b>CBM12780ED</b>		CBM7932C	43306	<b>0.06</b>	<b>-0.05</b>	<b>0.06</b>	<b>-0.41</b>	<b>0.38</b>	<b>-0.37</b>	<b>-0.43</b>	<b>-0.89</b>	<b>-0.7</b>
			CBM5307C		5	4	52	20	32	18	62	68	75
	0.32 (88)	3.73 (96)	0,0084		86	54	99	17	98	34	72	10	1
	11.61 (74)	9.79 (82)	2017-11-25		---		---		---		---	<b>0.42</b>	<b>1.62</b>
	25.67 (73)	21.29 (79)			0		0		0		0	3	3
			0		---		---		---		---	66	70
71	<b>CDB09515ED</b>		GMP26210C	43224	<b>0.07</b>	<b>-0.05</b>	<b>-0.12</b>	<b>-0.46</b>	<b>-0.01</b>	<b>-0.66</b>	<b>0.1</b>	<b>0.19</b>	<b>0.57</b>
			DUFS16882C		5	4	53	22	34	19	62	67	75
	1.98 (92)	-2.35 (81)	0,0516		92	54	87	6	93	14	91	98	99
	12.83 (78)	9.16 (80)	2017-12-12		<b>-3.44</b>		<b>0.28</b>		<b>-0.04</b>		---	<b>0.43</b>	<b>2.22</b>
	27.51 (77)	21.25 (79)			4		4		4		0	12	12
			0		98		54		46		---	67	83
72	<b>CBM53168ED</b>		CBM5300C	43306	<b>0</b>	<b>-0.07</b>	<b>0.02</b>	<b>-0.4</b>	<b>0.07</b>	<b>-0.45</b>	<b>-0.19</b>	<b>0.56</b>	<b>-0.34</b>
			LAU94189A		4	3	52	19	34	16	63	69	76
	-0.73 (85)	3.51 (96)	0,0141		21	30	98	18	94	28	82	99	4
	10.4 (70)	8.78 (79)	2017-01-10		---		---		---		---	<b>0.46</b>	<b>1.57</b>
	25.68 (73)	21.22 (79)			0		0		0		0	8	8
			0		---		---		---		---	76	69
73	<b>CBM69335ED</b>		CBM5300C	43306	<b>0.01</b>	<b>-0.06</b>	<b>-0.06</b>	<b>-0.44</b>	<b>-0.26</b>	<b>-0.44</b>	<b>-0.23</b>	<b>0.48</b>	<b>-0.38</b>
			CBM7879C		4	3	54	20	30	15	37	23	24
	-2.23 (79)	2.3 (94)	0,0223		34	35	94	9	85	29	81	99	3
	10.38 (70)	8.44 (78)	2017-05-16		---		---		---		---	<b>0.48</b>	<b>1.41</b>
	25.96 (73)	21.13 (79)			0		0		0		0	3	3
			0		---		---		---		---	82	65
74	<b>CDB49588FD</b>		GMP26210C	43224	<b>0.06</b>	<b>-0.07</b>	<b>-0.01</b>	<b>-0.45</b>	<b>0.14</b>	<b>-0.8</b>	<b>0.04</b>	<b>-0.55</b>	<b>0.14</b>
			DUFS16853C		5	4	55	23	35	20	40	39	41
	1.67 (92)	-0.99 (86)	0,0417		87	31	98	8	95	8	89	49	93
	11.46 (74)	8.37 (78)	2018-07-30		<b>-3.18</b>		<b>0.28</b>		<b>0.02</b>		---	<b>0.43</b>	<b>1.9</b>
	26.98 (76)	21.08 (79)			4		4		4		0	14	14
			0		97		54		51		---	69	77



Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d	Ultra Loin	Ultra Fat	
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	EPD Dir	EPD Dir	
	GAIN(%)	CARC(%)	Dam	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Acc Dir	Acc Dir	
	MAT(%)	MAT-U(%)	Inbreeding	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	% Dir	% Dir	
	MAT-HP(%)	MAT-UHP(%)	BirthDate	Age First Lamb	EPD	# Born First	EPD	TWtWn1st	EPD	Lambing Interval	# Born Later	TwtWn+	
			#Progeny	Acc %	Acc %	Acc %	Acc %	Acc %	Acc %	Acc %	Acc %	Acc %	
75	<b>HDA5510ED (M)</b>		HDA4423D	81100	<b>0.06</b>	<b>-0.05</b>	<b>0.04</b>	<b>-0.46</b>	<b>0.42</b>	<b>-0.48</b>	<b>0.06</b>	<b>-1.65</b>	<b>-0.16</b>
			HDA8374C		3	2	52	16	31	14	61	65	74
	3.14 (94)	0.01 (89)	0,0558		88	58	99	6	98	25	90	1	29
	13.03 (79)	10.09 (83)	2017-04-26		<b>-0.48</b>		<b>0.35</b>		<b>-0.19</b>		<b>-0.36</b>	<b>0.42</b>	<b>0.73</b>
	26.33 (74)	21.05 (79)			3		3		3		3	3	3
			0		12		80		36		12	64	49
76	<b>CDB49329FD</b>		GMP26210C	43224	<b>0.07</b>	<b>-0.06</b>	<b>-0.01</b>	<b>-0.57</b>	<b>0.13</b>	<b>-0.9</b>	<b>-0.07</b>	<b>-0.04</b>	<b>0.45</b>
			CDB86428E		5	3	50	20	30	18	60	23	24
	1.29 (91)	-2.59 (80)	0,0541		94	34	97	1	95	5	86	93	99
	12.18 (76)	8.55 (78)	2018-05-11		<b>-4.03</b>		<b>0.3</b>		<b>-0.21</b>		---	<b>0.45</b>	<b>1.91</b>
	27.37 (77)	21.03 (79)			4		4		4		0	8	8
			0		99		58		35		---	73	77
77	<b>CBM8745DD</b>		ML14678Y	43306	<b>0.03</b>	<b>-0.06</b>	<b>0.03</b>	<b>-0.38</b>	<b>0.39</b>	<b>-0.54</b>	<b>0.07</b>	<b>0.38</b>	<b>-0.23</b>
			LAU94199A		7	5	54	20	38	23	64	45	46
	2.72 (94)	5.33 (97)	0,0096		54	43	99	24	98	21	90	99	15
	11.8 (75)	10.26 (84)	2016-05-21		<b>-1.63</b>		<b>0.27</b>		<b>0.2</b>		<b>-1.58</b>	<b>0.4</b>	<b>0.72</b>
	24.91 (71)	21 (79)			1		1		1		1	28	28
			0		62		45		63		56	58	49
78	<b>CDB86475ED</b>		CBM7934C	43224	<b>0.04</b>	<b>-0.07</b>	<b>0</b>	<b>-0.34</b>	<b>-0.17</b>	<b>0.07</b>	<b>0.04</b>	<b>-1.42</b>	<b>0.13</b>
			FRAN141A		3	2	54	19	29	15	41	66	74
	-0.36 (86)	-4.97 (67)	0,0412		72	29	98	41	88	77	89	1	93
	14.49 (83)	9.68 (82)	2017-04-04		<b>-1.54</b>		<b>0.29</b>		<b>0.75</b>		---	<b>0.42</b>	<b>1.83</b>
	28.09 (79)	20.99 (79)			4		4		4		0	16	16
			0		58		55		93		---	64	76
79	<b>CBM53166ED</b>		CBM5300C	43306	<b>0</b>	<b>-0.07</b>	<b>0.01</b>	<b>-0.4</b>	<b>0.04</b>	<b>-0.45</b>	<b>-0.11</b>	<b>0.38</b>	<b>-0.13</b>
			LAU94189A		4	3	52	19	28	14	43	69	76
	-0.44 (86)	1.65 (93)	0,0141		21	30	98	18	94	28	85	99	38
	10.61 (71)	8.49 (78)	2017-01-10		---		---		---		---	<b>0.46</b>	<b>1.57</b>
	25.87 (73)	20.95 (78)			0		0		0		0	8	8
			0		---		---		---		---	76	69





Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d	Ultra Loin	Ultra Fat	
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	EPD Dir	EPD Dir	
	GAIN(%)	CARC(%)	Dam	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Acc Dir	Acc Dir	
	MAT(%)	MAT-U(%)	Inbreeding	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	% Dir	% Dir	
	MAT-HP(%)	MAT-UHP(%)	BirthDate	Age First Lamb	EPD	# Born First	EPD	TWtWn1st	EPD	Lambing Interval	# Born Later	TwtWn+	
			#Progeny	EPD	Acc	EPD	Acc	EPD	Acc	EPD	Acc	EPD	
				%	%	%	%	%	%	%	%	%	
80	<b>CBM8599DD</b>		CBM6773B	43306	<b>0.06</b>	<b>-0.05</b>	<b>0.03</b>	<b>-0.37</b>	<b>0.31</b>	<b>-0.58</b>	<b>0.3</b>	<b>-0.12</b>	<b>0.02</b>
			CBM1749B		5	3	41	16	34	18	62	68	75
	3.77 (95)	2.99 (95)	0,0477		87	59	99	27	98	19	94	89	74
	12.23 (76)	10.09 (83)	2016-03-10		---	---	---	---	---	---	---	<b>0.4</b>	<b>0.65</b>
	25.43 (72)	20.93 (78)			0		0		0		0	20	20
			0		---	---	---	---	---	---	---	58	47
81	<b>CDB47538FD</b>		GMP26860C	43224	<b>0.06</b>	<b>-0.07</b>	<b>-0.21</b>	<b>-0.5</b>	<b>-0.55</b>	<b>-0.54</b>	<b>-0.21</b>	<b>-0.34</b>	<b>0.16</b>
			FRAN409Z		4	3	55	20	35	17	43	19	20
	-2.3 (79)	-4.26 (71)	0,0377		89	24	70	3	72	21	82	73	95
	12.02 (76)	7.87 (76)	2018-08-16		<b>-2.91</b>		<b>0.33</b>		<b>0.23</b>		<b>-2.25</b>	<b>0.45</b>	<b>2.22</b>
	27.87 (78)	20.9 (78)			8		8		8		4	18	18
			0		95		72		66		80	74	84
82	<b>CDB09401ED</b>		GMP26210C	43224	<b>0.08</b>	<b>-0.05</b>	<b>-0.07</b>	<b>-0.37</b>	<b>-0.05</b>	<b>-0.12</b>	<b>-0.15</b>	<b>-0.42</b>	<b>-0.19</b>
			FRAN155C		5	4	53	22	35	20	62	67	75
	0.31 (88)	0.79 (91)	0,0254		97	58	93	27	92	59	84	64	22
	14.05 (82)	10.73 (85)	2017-11-27		<b>-2.86</b>		<b>0.26</b>		<b>0.22</b>		---	<b>0.38</b>	<b>2.17</b>
	26.27 (74)	20.86 (78)			4		4		4		0	14	14
			0		95		39		65		---	53	83
83	<b>CBM69646ED</b>		CBM7932C	43306	<b>0.06</b>	<b>-0.05</b>	<b>-0.02</b>	<b>-0.41</b>	<b>0.1</b>	<b>-0.37</b>	<b>-0.24</b>	<b>-0.58</b>	<b>-0.38</b>
			CBM5307C		5	4	52	20	26	16	41	39	42
	0.15 (88)	1.74 (93)	0,0084		86	54	97	17	95	34	81	43	3
	11.48 (74)	9.21 (80)	2017-03-21		---	---	---	---	---	---	---	<b>0.42</b>	<b>1.62</b>
	25.55 (72)	20.73 (78)			0		0		0		0	3	3
			0		---	---	---	---	---	---	---	66	70
84	<b>CBM12858FD</b>		FRAN254D	43306	<b>0.06</b>	<b>-0.06</b>	<b>-0.05</b>	<b>-0.34</b>	<b>-0.24</b>	<b>-0.19</b>	<b>-0.64</b>	<b>-0.19</b>	<b>-0.88</b>
			CBM7937C		3	2	52	17	30	13	62	68	75
	-3.67 (72)	3.32 (95)	0,0217		88	34	95	39	86	52	62	85	1
	10.33 (70)	8.48 (78)	2018-01-09		---	---	---	---	---	---	---	<b>0.43</b>	<b>1.79</b>
	25.34 (72)	20.72 (78)			0		0		0		0	4	4
			0		---	---	---	---	---	---	---	67	74



Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d	Ultra Loin	Ultra Fat	
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	EPD Dir	EPD Dir	
	GAIN(%)	CARC(%)	Dam	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Acc Dir	Acc Dir	
	MAT(%)	MAT-U(%)	Inbreeding	% Dir Mat	Age First Lamb	% Dir Mat	% Dir Mat	% Dir Mat	% Dir Mat	% Dir	% Dir	% Dir	
	MAT-HP(%)	MAT-UHP(%)	BirthDate	EPD	EPD	# Born First	EPD	TWtWn1st	EPD	Lambing Interval	# Born Later	TwtWn+	
			#Progeny	Acc %	Acc %	Acc %	Acc %	Acc %	Acc %	Acc %	Acc %	Acc %	
85	<b>CBM69941ED</b>		CBM5300C	43306	<b>0.02</b>	<b>-0.05</b>	<b>0.06</b>	<b>-0.41</b>	<b>0.19</b>	<b>-0.41</b>	<b>-0.28</b>	<b>0.13</b>	<b>-0.2</b>
			CBM5284Y		5	3	51	18	29	15	44	40	43
	-0.44 (86)	1.55 (93)	0,0447		50	57	99	16	96	31	79	97	21
	11.27 (73)	8.93 (79)	2017-07-04		---		---		---		---	<b>0.43</b>	<b>1.94</b>
	25.47 (72)	20.56 (77)			0		0		0		0	10	10
			0		---		---		---		---	68	78
86	<b>CDB86561ED</b>		GMP26210C	43224	<b>0.07</b>	<b>-0.06</b>	<b>-0.03</b>	<b>-0.4</b>	<b>0.08</b>	<b>-0.62</b>	<b>-0.36</b>	<b>-0.42</b>	<b>0.11</b>
			DUFS16864C		5	4	54	22	35	20	60	67	75
	-0.42 (86)	-2.35 (81)	0,0417		92	40	97	18	94	16	76	64	90
	11.21 (73)	7.8 (76)	2017-04-05		<b>-3.26</b>		<b>0.29</b>		<b>0.08</b>		---	<b>0.44</b>	<b>2.25</b>
	26.74 (75)	20.53 (77)			4		4		4		0	14	14
			0		98		57		55		---	71	84
87	<b>CDB49610FD</b>		GMP26210C	43224	<b>0.07</b>	<b>-0.06</b>	<b>-0.04</b>	<b>-0.57</b>	<b>0.04</b>	<b>-1</b>	<b>0</b>	<b>-0.04</b>	<b>0.39</b>
			CDB86423E		5	4	51	20	32	18	24	23	24
	1.19 (91)	-2.17 (82)	0,0541		92	34	97	1	94	2	88	93	99
	11.22 (73)	7.9 (76)	2018-07-31		<b>-4.92</b>		<b>0.28</b>		<b>-0.22</b>		---	<b>0.44</b>	<b>1.9</b>
	26.58 (75)	20.49 (77)			4		4		4		0	8	8
			0		99		55		34		---	72	77
88	<b>CDB49612FD</b>		GMP26210C	43224	<b>0.04</b>	<b>-0.06</b>	<b>-0.1</b>	<b>-0.36</b>	<b>-0.27</b>	<b>-0.04</b>	<b>-0.32</b>	<b>-0.73</b>	<b>0.17</b>
			FRAN141A		5	4	55	23	36	20	42	39	41
	-2.11 (80)	-5.14 (66)	0,0286		72	38	90	30	85	66	77	26	96
	13.34 (80)	8.72 (79)	2018-08-01		<b>-3.02</b>		<b>0.29</b>		<b>0.35</b>		---	<b>0.44</b>	<b>2.41</b>
	27.56 (77)	20.48 (77)			4		4		4		0	15	15
			0		96		55		74		---	70	87
89	<b>CDB09457ED</b>		GMP26210C	43224	<b>0.06</b>	<b>-0.05</b>	<b>-0.06</b>	<b>-0.43</b>	<b>0.05</b>	<b>-0.48</b>	<b>-0.55</b>	<b>0.58</b>	<b>0.35</b>
			DUFS16869C		5	4	54	22	35	20	62	68	75
	-1.43 (82)	-2.64 (80)	0,0512		91	63	95	11	94	25	67	99	99
	11.88 (75)	8.25 (77)	2017-12-03		<b>-3.56</b>		<b>0.29</b>		<b>0.05</b>		---	<b>0.43</b>	<b>2.59</b>
	26.7 (75)	20.43 (77)			4		4		4		0	12	12
			0		99		56		53		---	69	90



Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d	Ultra Loin	Ultra Fat
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	EPD Dir	EPD Dir
	GAIN(%)	CARC(%)	Dam	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Acc Dir	Acc Dir
	MAT(%)	MAT-U(%)	Inbreeding	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	% Dir	% Dir
	MAT-HP(%)	MAT-UHP(%)	BirthDate	Age First Lamb	EPD	# Born First	EPD	TWtWn1st	EPD	Lambing Interval	# Born Later	TwtWn+
			#Progeny	EPD	Acc	EPD	Acc	EPD	Acc	EPD	Acc	EPD
				%	%	%	%	%	%	%	%	%
90	<b>CBM16344DD</b>		43306	<b>0.02</b>	<b>-0.05</b>	<b>-0.02</b>	<b>-0.36</b>	<b>0.1</b>	<b>0.07</b>	<b>-0.26</b>	<b>0.26</b>	<b>-0.17</b>
		CBM6773B		5	3	53	18	34	18	42	24	24
	-0.4 (86)	1.7 (93)	0,0207	49	66	97	33	95	77	80	98	26
	13.87 (81)	10.91 (86)	2016-05-15	---	---	---	---	---	---	---	<b>0.41</b>	<b>1.07</b>
	25.34 (72)	20.43 (77)		0		0		0		0	21	21
			0	---	---	---	---	---	---	---	63	57
91	<b>CBM12921FD</b>		43306	<b>0.05</b>	<b>-0.07</b>	<b>-0.07</b>	<b>-0.34</b>	<b>-0.04</b>	<b>-0.02</b>	<b>-0.97</b>	<b>-0.51</b>	<b>-0.27</b>
		FRAN254D		3	2	53	18	23	11	40	37	40
	-4.15 (70)	-2.87 (79)	0,0352	86	27	94	40	92	69	43	53	10
	11.59 (74)	7.91 (76)	2018-01-08	---	---	---	---	---	---	---	<b>0.46</b>	<b>1.69</b>
	26.76 (75)	20.38 (77)		0		0		0		0	5	5
			0	---	---	---	---	---	---	---	76	72
92	<b>CBM12956FD</b>		43306	<b>0.06</b>	<b>-0.07</b>	<b>-0.04</b>	<b>-0.33</b>	<b>-0.08</b>	<b>-0.2</b>	<b>-0.62</b>	<b>0.33</b>	<b>-0.35</b>
		FRAN254D		3	2	50	16	29	13	60	67	75
	-2.68 (77)	1.28 (92)	0,0214	89	22	96	41	91	51	63	99	4
	10.68 (71)	8.23 (77)	2018-01-11	---	---	---	---	---	---	---	<b>0.43</b>	<b>1.5</b>
	25.47 (72)	20.33 (77)		0		0		0		0	3	3
			0	---	---	---	---	---	---	---	67	67
93	<b>CBM12299FD</b>		43306	<b>0.04</b>	<b>-0.06</b>	<b>0.02</b>	<b>-0.37</b>	<b>0.14</b>	<b>-0.55</b>	<b>0.15</b>	<b>-0.31</b>	<b>-0.01</b>
		CBM7932C		5	4	53	21	34	19	63	42	44
	1.83 (92)	1 (92)	0,0953	67	32	99	29	95	21	92	76	69
	10.46 (70)	8.28 (77)	2018-03-13	---	---	---	---	---	---	---	<b>0.41</b>	<b>1.15</b>
	25.17 (71)	20.3 (77)		0		0		0		0	6	6
			0	---	---	---	---	---	---	---	63	59
94	<b>CBM53210ED</b>		43306	<b>0.02</b>	<b>-0.06</b>	<b>0.04</b>	<b>-0.38</b>	<b>0.32</b>	<b>-0.35</b>	<b>0.07</b>	<b>-0.05</b>	<b>0.14</b>
		CBM7932C		5	4	54	21	36	19	63	69	76
	2.22 (93)	0.8 (91)	0,0248	47	39	99	25	98	36	90	92	93
	12.08 (76)	9.45 (81)	2017-01-19	---	---	---	---	---	---	---	<b>0.4</b>	<b>1.1</b>
	25.21 (71)	20.25 (76)		0		0		0		0	7	7
			0	---	---	---	---	---	---	---	60	58



Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d	Ultra Loin	Ultra Fat	
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	EPD Dir	EPD Dir	
	GAIN(%)	CARC(%)	Dam	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Acc Dir	Acc Dir	
	MAT(%)	MAT-U(%)	Inbreeding	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	% Dir	% Dir	
	MAT-HP(%)	MAT-UHP(%)	BirthDate	Age First Lamb	EPD	# Born First	EPD	TWtWn1st	EPD	Lambing Interval	# Born Later	TwtWn+	
			#Progeny	Acc	%	Acc	%	Acc	%	Acc	%	Acc	
95	<b>CBM12723ED</b>		CBM7932C	43306	<b>0.04</b>	<b>-0.06</b>	<b>0.04</b>	<b>-0.45</b>	<b>0.27</b>	<b>-0.61</b>	<b>-0.39</b>	<b>0.33</b>	<b>-0.43</b>
			CBM5299C		5	4	51	20	31	17	61	64	72
	-0.2 (87)	4.19 (96)	0,0224		76	34	99	8	97	17	74	99	1
	9.51 (67)	8.29 (77)	2017-11-18		---		---		---		---	<b>0.43</b>	<b>1.42</b>
	24.16 (69)	20.2 (76)			0		0		0		0	3	3
			0		---		---		---		---	67	66
96	<b>CBM53593ED</b>		CBM5300C	43306	<b>0.01</b>	<b>-0.05</b>	<b>-0.02</b>	<b>-0.42</b>	<b>-0.19</b>	<b>-0.52</b>	<b>0.32</b>	<b>0.53</b>	<b>0.2</b>
			CBM7414C		4	3	50	18	26	13	55	23	24
	0.73 (90)	0.41 (90)	0,0162		39	53	97	13	87	22	95	99	97
	11 (72)	8.53 (78)	2017-04-08		---		---		---		---	<b>0.44</b>	<b>1.3</b>
	25.21 (71)	20.17 (76)			0		0		0		0	3	3
			0		---		---		---		---	70	63
97	<b>CDB49646FD</b>		GMP26210C	43224	<b>0.08</b>	<b>-0.05</b>	<b>0.04</b>	<b>-0.37</b>	<b>0.11</b>	<b>-0.12</b>	<b>-0.25</b>	<b>-0.56</b>	<b>0.02</b>
			FRAN155C		5	4	53	22	35	20	41	39	41
	0 (87)	-1.59 (84)	0,0254		96	58	99	27	95	59	80	46	75
	13.83 (81)	9.97 (83)	2018-08-04		<b>-2.86</b>		<b>0.26</b>		<b>0.22</b>		---	<b>0.38</b>	<b>2.17</b>
	26.06 (74)	20.13 (76)			4		4		4		0	14	14
			0		95		39		65		---	53	83
98	<b>CBM9950DD</b>		ML14678Y	43306	<b>0.05</b>	<b>-0.07</b>	<b>0.02</b>	<b>-0.46</b>	<b>0.44</b>	<b>-0.9</b>	<b>0.07</b>	<b>0.31</b>	<b>0.1</b>
			LAU94183A		7	5	40	17	36	22	43	44	45
	3.36 (95)	3.07 (95)	0,0147		83	18	98	6	99	5	90	99	88
	10.4 (70)	8.61 (78)	2016-01-05		<b>-1.35</b>		<b>0.28</b>		<b>0.2</b>		<b>-1.82</b>	<b>0.39</b>	<b>0.37</b>
	24.51 (70)	20.13 (76)			1		1		1		1	27	27
			0		50		54		63		65	56	40
99	<b>CBM12473FD</b>		FRAN254D	43306	<b>0.07</b>	<b>-0.05</b>	<b>-0.01</b>	<b>-0.3</b>	<b>-0.09</b>	<b>0.07</b>	<b>-0.28</b>	<b>-0.14</b>	<b>0.02</b>
			CBM8387D		3	2	47	15	17	9	23	23	23
	-1.14 (84)	-1.55 (84)	0,0309		93	61	98	57	91	77	79	88	75
	13.57 (80)	9.78 (82)	2018-03-25		---		---		---		---	---	---
	26.04 (74)	20.13 (76)			0		0		0		0	0	0
			0		---		---		---		---	---	---



Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d	Ultra Loin	Ultra Fat	
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	EPD Dir	EPD Dir	
	GAIN(%)	CARC(%)	Dam	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Acc Dir	Acc Dir	
	MAT(%)	MAT-U(%)	Inbreeding	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	% Dir	% Dir	
	MAT-HP(%)	MAT-UHP(%)	BirthDate	Age First Lamb	EPD	# Born First	EPD	TWtWn1st	EPD	Lambing Interval	# Born Later	TwtWn+	
			#Progeny	EPD	Acc	Acc	Acc	Acc	Acc	Acc	Acc	Acc	
				%	%	%	%	%	%	%	%	%	
100	<b>CDB49653FD</b>		GMP26210C	43224	<b>0.05</b>	<b>-0.06</b>	<b>-0.02</b>	<b>-0.43</b>	<b>0.14</b>	<b>-0.71</b>	<b>0.17</b>	<b>-0.23</b>	<b>0.25</b>
			DUFS92201B		5	4	54	23	35	20	42	42	44
	2.41 (93)	-0.38 (88)	0,0431		86	33	97	11	96	12	92	83	99
	11.6 (74)	8.65 (79)	2018-08-05		<b>-3.31</b>		<b>0.28</b>		<b>-0.03</b>		---	<b>0.39</b>	<b>1.67</b>
	25.57 (72)	20.13 (76)			4		4		4		0	14	14
			0		98		49		47		---	56	72
101	<b>CDB86431ED</b>		GMP26860C	43224	<b>0.08</b>	<b>-0.06</b>	<b>-0.41</b>	<b>-0.61</b>	<b>-0.85</b>	<b>-1.06</b>	<b>-0.55</b>	<b>-0.78</b>	<b>0.3</b>
			GENE20124Y		4	3	55	21	31	16	43	63	72
	-4.3 (69)	-8.31 (46)	0,0291		95	33	15	1	54	2	67	20	99
	9.81 (68)	5.1 (65)	2017-04-03		<b>-2.51</b>		<b>0.35</b>		<b>0.17</b>		<b>-2.45</b>	<b>0.5</b>	<b>2.06</b>
	28.09 (79)	20.05 (76)			8		8		8		4	21	21
			0		90		82		61		86	92	80
102	<b>CBM5476DD</b>		ML14678Y	43306	<b>0.04</b>	<b>-0.07</b>	<b>-0.06</b>	<b>-0.41</b>	<b>-0.06</b>	<b>-0.59</b>	<b>-0.45</b>	<b>-0.16</b>	<b>-0.54</b>
			LAU94188A		7	5	39	17	35	21	63	68	75
	-1.88 (81)	2.27 (94)	0,0153		67	19	95	17	91	18	71	87	1
	9.44 (67)	7.53 (75)	2016-01-06		<b>-1.46</b>		<b>0.32</b>		<b>0.18</b>		<b>-1.88</b>	<b>0.45</b>	<b>0.5</b>
	24.65 (70)	19.92 (75)			1		1		1		1	26	26
			0		54		68		62		67	75	44
103	<b>CBM12946FD</b>		CBM7932C	43306	<b>0.05</b>	<b>-0.06</b>	<b>0.05</b>	<b>-0.37</b>	<b>0.3</b>	<b>-0.45</b>	<b>0.04</b>	<b>-0.51</b>	<b>-0.14</b>
			CBM7878C		5	4	54	21	33	18	63	69	76
	2.2 (93)	1.85 (93)	0,0378		84	46	99	30	97	27	89	53	36
	11.16 (73)	9 (80)	2018-01-11		---		---		---		---	<b>0.39</b>	<b>1.15</b>
	24.46 (69)	19.91 (75)			0		0		0		0	4	4
			0		---		---		---		---	55	59
104	<b>CBM53543ED</b>		CBM5300C	43306	<b>0.02</b>	<b>-0.05</b>	<b>-0.07</b>	<b>-0.42</b>	<b>-0.24</b>	<b>-0.22</b>	<b>-0.82</b>	<b>0.36</b>	<b>-0.53</b>
			CBM7804C		4	3	54	20	32	16	63	38	41
	-4.9 (66)	0.75 (91)	0,0137		44	60	94	13	86	48	52	99	1
	10.5 (71)	8.01 (76)	2017-03-15		---		---		---		---	<b>0.47</b>	<b>1.83</b>
	25.02 (71)	19.89 (75)			0		0		0		0	4	4
			0		---		---		---		---	79	75



Estimated Progeny Differences

Rank	ID(Sex)	Sire	Owner	Lamb Survival		Birth Weight		Ad. 50 Wt.		Gain 50-100d	Ultra Loin	Ultra Fat	
				EPD Dir	Mat	EPD Dir	Mat	EPD Dir	Mat	EPD Dir	EPD Dir	EPD Dir	
	GAIN(%)	CARC(%)	Dam	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Mat	Acc Dir	Acc Dir	Acc Dir	
	MAT(%)	MAT-U(%)	Inbreeding	% Dir	Mat	% Dir	Mat	% Dir	Mat	% Dir	% Dir	% Dir	
	MAT-HP(%)	MAT-UHP(%)	BirthDate	Age First Lamb	EPD	# Born First	EPD	TWtWn1st	EPD	Lambing Interval	# Born Later	TwtWn+	
			#Progeny	Acc %	EPD	Acc %	EPD	Acc %	EPD	Acc %	EPD	Acc %	
105	<b>CBM69724ED</b>		CBM5300C	43306	<b>0</b>	<b>-0.06</b>	<b>-0.09</b>	<b>-0.39</b>	<b>-0.28</b>	<b>-0.24</b>	<b>-0.84</b>	<b>0.28</b>	<b>-0.3</b>
			CBM8432B		4	3	53	19	34	17	63	42	44
	-5.32 (64)	-1.64 (84)	0,0203		28	48	92	22	84	47	51	99	7
	9.87 (69)	6.96 (72)	2017-07-09		---		---		---		---	<b>0.5</b>	<b>1.74</b>
	25.68 (73)	19.86 (75)			0		0		0		0	8	8
			0		---		---		---		---	87	73
106	<b>CBM53302ED</b>		CBM5300C	43306	<b>0.03</b>	<b>-0.04</b>	<b>0</b>	<b>-0.39</b>	<b>-0.3</b>	<b>-0.27</b>	<b>-0.61</b>	<b>-0.24</b>	<b>-0.24</b>
			CBM4499Y		5	3	53	19	36	18	64	69	76
	-4.43 (68)	-2.7 (79)	0,0380		63	73	98	22	84	44	63	82	14
	10.7 (71)	7.34 (74)	2017-01-31		---		---		---		---	<b>0.48</b>	<b>2.02</b>
	25.94 (73)	19.83 (75)			0		0		0		0	11	11
			0		---		---		---		---	82	80
107	<b>HDA4500ED (M)</b>		HDA5571D	81100	<b>0.03</b>	<b>-0.06</b>	<b>-0.19</b>	<b>-0.4</b>	<b>-0.39</b>	<b>-0.23</b>	<b>-0.72</b>	<b>-2.5</b>	<b>-0.49</b>
			HDA535Y		2	1	52	13	28	10	61	61	71
	-4.45 (68)	-6.4 (59)	0,0240		56	39	74	18	80	48	57	1	1
	10.49 (71)	6.35 (70)	2017-04-16		<b>-1.02</b>		<b>0.39</b>		<b>0.22</b>		<b>-0.56</b>	<b>0.49</b>	<b>1.5</b>
	26.85 (76)	19.76 (75)			3		3		3		7	8	8
			0		35		93		65		18	82	67
108	<b>CBM69781ED</b>		CBM5300C	43306	<b>0.01</b>	<b>-0.06</b>	<b>-0.03</b>	<b>-0.39</b>	<b>-0.37</b>	<b>-0.24</b>	<b>-0.77</b>	<b>-0.52</b>	<b>-0.62</b>
			CBM8432B		4	3	53	19	34	17	63	68	75
	-5.79 (61)	-1.54 (84)	0,0203		29	48	97	22	81	47	55	52	1
	9.54 (67)	6.71 (72)	2017-07-09		---		---		---		---	<b>0.5</b>	<b>1.74</b>
	25.37 (72)	19.63 (75)			0		0		0		0	8	8
			0		---		---		---		---	87	73

